



SANS PAR

MANHOLE COVERS AND FRAMES

UNIFLO

TYPE 2A DOUBLE SEAL MANHOLE COVER AND FRAME WITH LATCHED CLOSING MECHANISM. MANUFACTURED TO SANS 50124 CLASS D400



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
BSEN124DS	646mm	812mm	100mm	560mm

TYPE 2A SINGLE SEAL MANHOLE COVER AND FRAME WITH LATCHED CLOSING MECHANISM. MANUFACTURED TO SANS 50124 EN124 CLASS D400



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE2AHL	605m	700 X 700mm	100m	560mm

TYPE 2A MANHOLE COVER AND FRAME WITH ROTATING CLOSING MECHANISM. MANUFACTURED TO SANS 50124 EN124 CLASS D400



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE2A	624mm	700mm	115mm	550mm



SANS PAR

UNIFLO

CITY OF CAPE TOWN STANDARD 2010 CONCRETE FILLED MANHOLE COVER AND FRAME. MANUFACTURED TO SANS 50124 CLASS D400



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE2ACT	694mm	800mm	150mm	600mm

TYPE 2A SEWAGE MANHOLE COVER AND FRAME. CONFORMS TO DRAKENSTEIN SPECIFICATION AND MANUFACTURED TO SANS 50124 EN124 CLASS D400



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE2AP	588m	672mm	105m	520m

TYPE 2B MANHOLE COVER AND FRAME WITH VENT SLOTS AND ROTATING CLOSING MECHANISM. MANUFACTURED TO SANS 50124 EN124 CLASS D400



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE2B	624mm	700mm	115mm	555mm



SANS PAR

UNIFLO

TYPE 4 MANHOLE COVER AND FRAME WITH ROTATING CLOSING MECHANISM. MANUFACTURED TO SABS 50124 EN124 CLASS B125



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE4	660mm	755mm	57mm	600mm

TYPE 8 GULLY GRATE MANUFACTURED TO SANS 50124 EN124 CLASS C250



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE8	592 x 400mm	642 x 510mm	88mm	540 x 350mm

600 X 600 SQUARE MANHOLE COVER AND FRAME MANUFACTURED TO SABS 50124 EN124 CLASS B125



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
600X600	636 x 636mm	680 x 680mm	40mm	600 x 600mm



SANS PAR

UNIFLO

**600 X 450 RECTANGULAR MANHOLE COVER AND FRAME
MANUFACTURED TO SANS 50124 EN124 CLASS B125**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
MD	635 x 487mm	686 x 533mm	42mm	600 x 450mm

**900 X 450 RECTANGULAR MANHOLE COVER AND FRAME
MANUFACTURED TO SANS 50124 EN124 CLASS B125**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
900X450	935 x 495mm	1020 x 574mm	80mm	900 x 450mm

**TYPE 5 HYDRANT BOX MANUFACTURED TO
SANS 50124 EN124 CLASS B125**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
TYPE5	400 x 324mm	533 x 458mm	158	380 x 305mm

**HBP HYDRANT BOX MANUFACTURED TO
DRAKENSTEIN AND OVERMEER SPECIFICATION**



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
HBP	440 x 270mm	514 x 338mm	65mm	444 x 270mm



SANS PAR

UNIFLO

VBP VALVE BOX MANUFACTURED TO
DRAKENSTEIN AND OVERMEER SPECIFICATION



CODE	COVER DIMENSION	FRAME DIMENSION	FRAME HEIGHT	CLEAR OPENING
VBP	340 x 340mm	414 x 414mm	102mm	344 x 344mm

TYPE 3A AND 3B DUCTILE IRON BELL TOBIES



CODE	FLANGE DIMENSION	HEIGHT
TYPE3A	310 mm	305mm
TYPE3B	310 mm	230mm



SANS PAR

CAPE TOWN

1 La Belle Road, Stikland Industrial, Cape Town 7530 - Tel: 021-511 0283 - Email: sales@effast.co.za

JOHANNESBURG

10 Nuwejaarsvoël Avenue, Choorkop, Edenvale 1624 - Tel: 011-397 6889 - Email: jhb@sanspar.co.za

DURBAN

490 Sydney Road, KwaKhangela, Durban, 4001 - Tel: 031-700 2485 - Email: counter@effast.co.za

GQEBERHA

6 Barry Street Sidwell, Gqeberha - Tel: 041-451 2360 - Email: salespe@effast.co.za

www.sanspar.co.za